Index		
Click a link t	to jump to a state	
Arizona	New Mexico	
Colorado	Oklahoma	
Idaho	Oregon	
Louisiana	Texas	
Montana	Utah	
Nevada	Washington	

ARIZONA

- http://www.azsos.gov/public_services/Title_17/17-06.pdf (Administrative Rules)
- <u>www.azdot.gov/mvd/commercialenforcement/document/WeightRestrictions.pdf</u> (AZ Weight Restricted Bridges) <u>www.az511.gov</u> (Daily Construction Restrictions)

IH8	11' Width	11' Width and lane closed. Expect slow traffic on IH 8, EW-bound from mile post 176.0, at Casa Grande Mtn Park Rd to mile post 175.0, 1.0 miles East of Trekell Rd from Mon, 26 Oct 2015 7:00 AM to Mon, 7 Dec 2015 6:00 PM
IH10	Construction work	construction work on IH 10, EW-bound from mile post 3.0, at STATE INSPECTION STATION to mile post 4.0, 1.0 miles East of STATE INSPECTION STATION from Wed, 25 Mar 2015 6:00 PM to Fri, 18 Mar 2016 6:00 PM
IH10	12' Width	12' Width and lane closed. Expect slow traffic On IH 10, EW-bound from mile post 42.0, 3.0 miles West of VICKSBURG ROAD to mile post 52.0, at BOUSE WASH REST AREAS from July 7 - December 18 6:00 A.M. to 7:00 P.M. weekdays
IH10	Roadway reduced to one lane	roadway reduced to one lane. Expect slow traffic on IH 10, EW-bound from mile post 196.0, 2.0 miles East of State Route 287 to mile post 199.0, at I 8 from October 27-28 9:00 P.M. to 5:00 A.M. Tuesday, through Wednesday
IH10	Roadway reduced to one lane	roadway reduced to one lane on IH 10, West-bound from mile post 285.0, 3.0 miles East of State Route 83 to mile post 284.0, 2.0 miles East of State Route 83 from Thu, 27 Aug 2015 6:00 AM to Fri, 18 Dec 2015 4:00 PM
IH10	Lane closed	one lane closed on IH 10, East-bound from mile post 296.0, 6.0 miles West of State Route 90 to mile post 300.0, 2.0 miles West of State Route 90 from October 20 - November 6, 6:00 A.M. to 6:00 P.M. weekdays
IH10	11' Width	11' Width and lane closed. Slow traffic on IH 10, East-bound from mile post 307.0, 3.0 miles East of BENSON to mile post 307.0, 3.0 miles East of BENSON from October 22 7:00 P.M. Until Further Notice
IH15	Caution road construction	road construction. Expect heavy traffic on IH 15, NS-bound from mile post 13.0, 4.0 miles North of LITTLEFIELD to mile post 22.94, 4.59 miles North of CEDAR POCKET REST AREA from Thu, 6 Feb 2014 12:00 PM Until Further Notice
IH15	10' Width	10' Width and roadway reduced to one lane. Expect slow traffic on IH15, North-bound from MP 15.0, 3.20 miles South of Cedar Pocket Rest Area to MP 16.0, 2.20 miles South of Cedar Pocket Rest Area from Mon, 1 Dec 2014 7:00 AM to Fri, 29 Apr 2016 3:00 PM
IH15	Width: 10 ft. Weight: 75 tons	roadway reduced to one lane. Expect heavy traffic on IH 15, South-bound from MP 17.0, 1.20 miles South of Cedar Pocket Rest Area to MP 15.0, 3.20 miles South of Cedar Pocket Rest Area from Wed, 23 Apr 2014 1:00 PM Until Further Notice.
IH17	Off-ramp restricted	Off-ramp restricted on IH 17, South-bound from mile post 210.0, at CACTUS ROAD from October 27-29 from 9:00 A.M. to 3:00 P.M. Tuesday, through Thursday. 1 of 2 right turn lanes closed to Westbound Thunderbird due to

		pump station maintenance.
IH17	Ramp detour	traffic detoured across bridge ramps - expect delays on IH 17, South-bound from mile post 227.0, at Daisy Mountain Drive from Tue, 27 Oct 2015 11:00 PM to Wed, 28 Oct 2015 5:00 AM. Off at Daisy Mountain and back on the Daisy Mountain SB on ramp.
IH17	Left lane closed	left lane closed on IH 17, NS-bound from mile post 282.0, 5.0 miles South of CAMP VERDE to mile post 292.0, 4.0 miles North of CAMP VERDE from October 26-30 8:00 P.M. to 6:00 A.M. weeknights
IH19	Left lane closed	left lane closed on IH 19, North-bound from mile post 4.0, at Frank Reed Rd to mile post 6.0, at SR-19B from October 20, 10:56 A.M. Until Further Notice
IH19	12' Width	12' Width and roadway reduced to one lane on IH 19, NS-bound from mile post 19.0, at Rock Corral Rd to mile post 18.0, at England Rd from Wed, 23 Sep 2015 6:00 AM to Wed, 25 Nov 2015 5:00 PM
IH40	13' Width	13' Width and one lane closed on IH 40, EW-bound from mile post 108.0, 13.0 miles East of FORT ROCK to mile post 86.0, 9.0 miles West of FORT ROCK from June 19 - October 30, 5:00 A.M. to 7:00 P.M. weekdays.
IH40	Rest area closed	Expect slow traffic. Speed reduced to 45 mph. Officers and flaggers on site. rest area closed on IH 40, EW-bound from mile post 182.0, at PARKS REST AREAS from Fri, 28 Jun 2013 11:44 AM Until Further Notice
IH40	On- and off- ramps restricted	on/off ramps restricted on IH 40, EW-bound from mile post 201.0, at U S 89 from October 19 - November 6:00 A.M. to 6:00 P.M. weekdays
IH40	Lane closed	lane closed. Expect slow traffic on IH 40, East-bound from mile post 201.0, at U S 89 to mile post 201.0, at U S 89 from October 8-30 6:00 A.M. to 6:00 P.M. weekdays,
IH40	Lane closed	lane closed. Expect slow traffic on IH 40, EW-bound from mile post 205.0, 0.20 miles East of WALNUT CANYON to mile post 218.0, 7.0 miles East of WINONA from October 19 – November, 5:00 A.M. to 6:00 P.M. weekdays
IH40	12' Width	12' Width and road construction. Roadway reduced to one lane on IH 40, EW-bound from mile post 256.0, 2.0 miles West of SR 87 to mile post 258.0, at SR 87 from Mon, 15 Jun 2015 6:00 AM to Thu, 31 Dec 2015 6:00 PM. Width restriction at MP 257.5 (Polacca T.I.) 12'+ Must use Off Ramp/On Ramp.
IH40	Roadway reduced to one lane	roadway reduced to one lane on IH 40, EW-bound from mile post 283.0, 2.0 miles West of HOLBROOK from Wed, 12 Aug 2015 3:38 PM to Fri, 20 Nov 2015 5:00 PM
	One lane	Bridge construction: Speed limit will be reduced to 55 mph through the work zone.

COLORADO

Due to the flooding in Colorado, please go to www.cotrip.org to see if the route is open for travel

IH25	13' Width	13' Width on IH25, both directions; MP 97 to MP 100 (just south of EXIT 97B to EXIT 100); beginning Aug 25, 2015; 24 hours a day, seven days a week until Nov 15, 2015.
IH25	Construction Zone Warning	MP 149 to Exit 163 - Monument Hill Rd to County Line Rd - Southbound Reduced Speed Limit: Speed limits in this construction zone will vary depending on the time of day and the number of "through" traffic lanes. The number of traffic lanes can be reduced to one lane, each direction, between 8:30 a.m. to 5:30 p.m.; Sunday through Thursday. Additional, the speed limit may be reduced to 45 MPH where traffic is reduced to one lane for construction.
IH25	13' Height	Permanent Restriction: MP 200.11 (Jct IH225 & IH25) To 213.8 (Jct IH70 & IH 25) (NB & SB)
IH25	11' Width	11' Width on IH25, both directions; MP217 to MP223; Intersection of IH25 and

	1	LICOC to 400th Ave. This restriction is from 40,000 and to 5,000 and several days
		US36 to 120th Ave. This restriction is from 12:00 a.m. to 5:30 a.m., seven days
		a week; until further notice. Ramps will be single lane ramps 24 hours a day,
		seven days a week
IH25	11' Width	11' Width from MP 244 to MP 257 (between SH 66 & US 34) 11' Width, 9pm -
IHZƏ	11 Width	6am. Width restriction: No loads over 11 feet; every night from 9:00 p.m. to 5:00
		a.m. Sunday thru Friday; until December 7, 2015.
11.170	401 \4/2 446	12' Width on IH70, both directions; MP49 to MP60 (HWY 65 to just west of EXIT
IH70	12' Width	62). This restriction is from 7:00 a.m. to 11:00 p.m., Monday - Saturday until
	1	October 25, 2015.
	Length and	Loads that exceed 85 feet in length and/or 13 feet in width must have a certified
IH70	Width	pilot car in the rear, both directions; MP 114.0 to MP 133.0 - Glenwood Springs
	restrictions	to Dotsero (Glenwood Canyon). Both of these restrictions are permanent
		12' Width on IH70, both directions; MP116 to MP127 - Glenwood Springs to
IH70	12' Width	Dotsero (Glenwood Canyon). This restriction is 24 hours a day, seven days a
		week through October 2015.
		80,000 lbs. GVW on IH70, both directions; MP 119 to MP 125 (No Name to
IH70	80,000 Max Wt.	Hanging Lake). This restriction is for 24 hours a day, seven days a week
		through November 2015.
IH70	12' Width	12' Width on IH70, both directions; MP 168.48 to MP 169.19 (Eagle River
11170	12 Width	Bridge, Eagle-Vail); 24 hours a day, seven days a week Nov 17, 2015.
		MP 213.6 - Eisenhower Tunnel -both directions-
	Length and	Width restriction: Permitted loads over 11 feet must pull over to get permission
IH70	Width	to pass through the tunnel.
	restrictions	Height restriction: Loads 13 feet 11 inches tall or less may now travel through
		the Eisenhower Tunnel.
IH70	Off-ramp	West Idaho Springs Exit Ramp (Exit 239 Eastbound Only)
III/U	closure	Complete closure of this ramp until further notice.
		MP 274.76 - Intersection of I-70 and US 6, 265 (Brighton Blvd) RR and city
	Ayla Wajahta	streets.
IH70	Axle Weights	Weight restriction: No permits that exceed the orange axle weights on the
	Restriction	bridge weight limit map (see
		www.coloradodot.info/business/permits/truckpermits) for color grid.
	No Permitted	No Permitted loads on IH70, both directions; MP 274.76 to MP 276.58 -
IH70		Brighton Blvd to Colorado Blvd. No OS/OW permitted loads allowed on this
	Loads	portion of IH70.
11.170	Off-ramp	Off-Ramp to Havana St on EB IH70 will be closed; MP 280.5 (HAVANA ST);
IH70	closure	through January 2016.
	0.0000	12' Width on IH70, both directions; MP 329 to MP 341 (Deer Trail to Agate); 24
IH70	12' Width	hours a day, seven days a week through October 2015. Also, old HWY 40 is
	12 7714611	not an allowable detour of this project for OS/OW loads
		12' Width on IH70, both directions; MP 410 to 419 (between Seibert, CO &
IH70	12' Width	Stratton, CO). This restriction is 24 hours a day, seven days a week through
	12 7714611	October 2015.
		11' Width on IH70, both directions; MP12.6 to MP13.09 (near junction of Hwy
		85 and I-76). This restriction is 24 hours a day, seven days a week until
		November 2015.
IH76	11' Width	Ramp from Westbound IH76 to Northbound CO Hwy 85 is closed.
		The Eastbound IH76 to Northbound CO Hwy 85 on-ramps and the Southbound
		Hwy 85 to Westbound IH76 on-ramps are not restricted.
	40	10' Width on CO14, both directions; MP 139 to 147.3 (I-25 to CR 23); 24 hours
CO14	10' Width	a day, seven days a week; until Nov 20, 2015.
		11' Width on CO14, both directions; MP 139 (Jct with I-25). This restriction is for
CO14	11' Width	every night from 9:00 p.m. to 6:00 a.m. beginning July 19, 2015 until December
3017	i widii	7, 2015.
		In the City of Sterling: Width, Height and Length restriction: No oversize permits
CO14	Curfew hours	may travel in the City of Sterling from 8:00 a.m. to 9:00 a.m., 12 (noon) to 1:00
0014	Juliew Houls	p.m., and 5:00 p.m. to 6:00 p.m. every day of the week.
		p.m., and 5.00 p.m. to 6.00 p.m. every day of the week.

US50	12' Width	12' Width on US50, both directions; MP 445.78 to MP 456.28 (between HWY 287 & HWY 385); 24 hours a day, seven days a week through May 2016.
		10' Width on US285, both directions; MP 5.7 to MP 6.3 (through Antonito, Co).
US285	10' Width	Restriction is 24 hours a day, 7 days a week until Oct 23, 2015.
US287/ US50	90' Length	Intersection of Hwy 287 and Hwy 50 East in City of Lamar Length restriction: No permits over 90 feet traveling north on Hwy 287 to eastbound Hwy 50. Loads in excess of 90 feet in length should travel westbound on Hwy 50 to Hwy 287 northbound to Hwy 96 eastbound to Hwy 385
US287	12' Width	12' Width on US287, both directions; MP 347.5 to MP 348.5 (Confer St to Willox Ln); every day from 8:00 a.m. to 7:00 p.m. until November 15, 2015.

<u>IDAHO</u>

IH84	12' Width	12' Width on IH84 in both directions, between Exit 211: US 30, ID 24 and Exit 222: I-86. Roadway reduced to two lanes. Speed restrictions in effect, drive with extreme caution, Reconstruction of the Snake River twin bridges (milepost 216). Westbound bridge to be replaced first. All traffic on eastbound lanes. Reduce speed. Narrow lanes. Use caution at entry and exit ramps at Exit 216. Until 5:00PM MDT, 6/2/2017
IH90	44000 LBS	E- bound: Gross weight limit in effect at MP65 exit: Compressor Road (1 mile west of the Mullan area). There is a weight limit in effect. Right exit ramp. Bridge. No vehicles over 44000 lbs. Exit 67 WB ramp bridge is restricted for weight. Single Truck 15 Tons, Truck and Trailer 22 Tons.
IH90	12' Width	12' Width on IH90, both directions, between Exit 61: Wallace West and Exit 64: Golconda Road (Wallace). Look out for construction work. The roadway is reduced to one lane. Truck and speed restrictions (45 MPH) are in force. There is a width limit in effect. Until November 14
IH90	12' Width	12' Width on IH90, both directions, between Fourth of July and Exit 40: Cataldo. Road construction work is in progress. The roadway is reduced to one lane. Reduce your speed. Speed limit 55 MPH. Until November 25.
US26	Height limit 13' 8"	13' Height on US26 W-bound; between South Boulevard and F Street (Idaho Falls). This is a permanent restriction on the westbound underpass south of G Street in Idaho Falls. The underpass runs beneath the transportation department's South Boulevard Bridge and Union Pacific's Railroad Bridge, which lie side by side over U.S. 26 (Yellowstone Highway) at milepost 333.51.
US30	13' 6" Height	Permanent height restriction on US 30 in both directions: Between Main Street - Hawthorne Road and Cedar Street (Pocatello). This is a permanent height restriction within the city limits of Pocatello, in both east and westbound lanes at the railroad bridge on Garret Way between Main Street and Cedar Street at MP334.15.
US95	11'6" Width	11'6" Width on US95, both directions, between Sky Line Drive and Martin Road. Look out for construction work. Truck and speed restrictions (35 MPH) are in force. There is a width limit in effect. Until October 31.
US95	11' Width	11' Width on US95 in both directions, between Conkling Road and ID 58. Road construction. Paving operations. Work on the shoulder, look out for flaggers, and consider using an alternate route. Speed restrictions in force. Width limit in effect, Speed limit 35.00 MPH, Width limit 11'0. The Project Superintendent is M.A. DeAtley, Bill Brown, (509) 254-1341. Traffic control is Traffic Management Inc., Jesse Wood, (208) 660-3743 until 8:00PM MDT, 10/31/2015.
US95	10' Width	10' Width on US95 between Smokey Boulder Road and Hazard Creek Road. Bridge maintenance operations. Roadway reduced to one lane. Look out for flaggers. Short delays. Width limit in effect. From 9:00AM MDT to 12:00PM MDT on Fridays and from 9:00AM MDT to 5:30PM MDT on Mondays, Tuesdays, Wednesdays and Thursdays. Until October 30.
ID55	Closed	Road closed to traffic on ID55 between Meadows Road (McCall) and US 95 (New Meadows). Rock blasting will require a full closure on Wednesday

evening (Oct. 28). The closure will be in place from 6 p.m. to 9 p.m.

LOUISIANA

		Another a name than is a year 10% high an array 20,000 and a restrict and
All Highways	Loads over	Anytime a permit load is over 13'6 high or over 30,000 gross vehicle weight and
All Highways	13 Ft 6 In High	getting off of the IH system, the Louisiana Permit Office should be called at 225-377-7110, 377-7111, 377-7112 or 377-7114 to verify the route.
		Legal weight only crossing the Calcasieu River BridgeAll permit loads should
IH10	Legal Weight	use IH10-IH210-IH10 to get around it. (Calcasieu Parish)
	Legal Weight To	Legal weight on IH10 WBound ramp in Baton Rouge at US61. No exceptions
IH10	Ramp	(East Baton Rouge Parish)
	•	12' width on IH10 between Mississippi Line and US190/Gause Blvd; start 6-4-
IH10	12' Width	15 for approx. 1 year (St Tammany parish)
IH12	12' Width	12' width on IH12 between IH59/IH10 split and LA11. Start 6-5-15 for approx. 1
	12 WIGHT	year. (St Tammany parish)
IH20	Shreveport	All permit loads should use IH20-IH220-IH20 when traveling through Shreveport
IH20	12' Width	12' Width on IH20 EB from exit 182@Mound to Mississippi Line; open on
11120	12 Width	Fridays only (Madison parish).
IH20	12' Width	12' Width on IH20 WB between Mississippi Line and Exit 182 at Mound; open
		on Fridays only (Madison parish). 12' width on IH59 between Mississippi Line and IH10/IH12 split; start 6-5-15 for
IH59	12' Width	approx. 1 year (St Tammany parish); DETOUR I59-1090-11-I12 and reverse
	44110	11' Width between LA1 and LA173; Detour IH20-IH220-LA173-LA3094-LA1-
IH220	11' Width	IH220 and reverse westbound, per Dist 04 (Caddo parish)
11664	10,6,, //: 47	10'6" Width on US61/Tulane Ave between S Carrollton Ave and S Jeff Davis
US61	10'6" Width	Pkwy; thru March 2016 (Orleans parish)
US61	No Permits	Closure on US61 ramp over IH10 near Sorrento; ufn (Ascension parish)
US61	No Permits	Closure on US61/190B at railroad just south of Choctaw Drive in Baton Rouge
0301	NOT CITIES	for 10-29 and 10-30-15 only (East Baton Rouge parish)
US61	No Width	No width on US 61/190B (River Rd) from Choctaw Drive to St Phillip Street in
		Baton Rougestart 10-24-14 (East Baton Rouge parish)
US61	No Width	No width on US 61/190B (River Rd.) between North Street and State Capitol Blvd in Baton Rouge, La (East Baton Rouge parish)
US84	Legal weight	Legal weight on US84 at Texas line as per Texas. (Desoto Parish)
US90	11' Width	11' Width between Dowman Rd and Wilson Ave (Orleans parish)
0030	11 Width	12' Width on US90 between La 388 and La 1256(Huntington St/Ruth St). Start
US90	12' Width	10-30-15 for approx. 8 monthsfor permission contact Vicki or Chris w/ dist 07
	12 7716(11	@ 337-527-3030
		No permit loads on US90 crossing Bayou Ramos in Morgan City. Detour EB 90-
US90	No Permits	182@Morgan City-Lake Palourde BP-90 and reverse WB 90-Lake Palourde
		BP-182-90@Morgan City revised 4-12-12 Dist 03 (St Mary Parish)
US90	No Permits	No permit loads on US90 in or out of Mississippi Dist 62 (St Tammany Parish)
US171	12' Width	12' Width on US171 SB between La 8/28 to just north of Boone Street in
		Leesville; ufn (Vernon parish)
US190	11' Width	11' Width at US190 / Eden Church Rd. in Denham Springs between LA16 and LA1026- will be in effect for several months. Use IH12 to detour. Putting in a
03130	II WIGHT	Roundabout. (Livingston parish)
		US190 closed to permit loads on Old bridge crossing Miss River in Baton
US190	No Permits	Rouge; approx. 1 year; per Todd Donmeyer w/ Dist 61 (West Baton Rouge
		parish)
LA1	No Permits	LA1 Caddo Lake bridge in Mooringsport closed to permit loads (Caddo parish)
LA1	12' Width	12' Width on LA1 at Simmesport across the Atchafalaya River. For permission
LAI	12 WIUUII	contact Brian w/ Hercules Painting at 724-654-9741 (Avoyelle parish)
		LA1 closed at West Larose Bridge start 8-26-15 for a few monthsAll permit
LA1	No Permits	loads must detour 90-1-Ti Bois Bridge-308-657-3235-1 and reverse (Lafourche
		parish) Texas Department of Motor Vehicles – Motor Carrier Division

LA6	9'6" Width	9'6" Width on LA6 SB exit and entrance ramps at IH49 (ramps on west side of IH49), (Natchitoches parish)
LA22	No Permits	LA22 closed west of the Tchefuncte River in Madsonville to Marina Beau Chene (west of US 190); ufn per Lacey McCaskill w/ dist 62 at 985-893-6367
LA22	11' Width	11' Width on LA22 to LA 16 from 0.25 miles west of junction LA 22 to LA 22 and on LA 22 from 0.1 mi south of junction LA 16 to 0.1 mi east of junction LA 16; ufn per Candiace w/ dist 62 @ 225-686-2689 (Livingston parish)

MONTANA

PLEASE CHECK OUR WEBSITE FOR MORE UP TO DATE CLOSURES AND INFORMATION http://www.mdt.mt.gov/travinfo/scripts/alerts.pl

		12' Width on IH15 – at Mile Marker 200; Expect guardrail activities, reduced
IH15	12' Width	speed of 45 MPH and single lane traffic.
IH15	12' Width	12' Width on IH15 – Mile Marker 217.5 to 221, 1 mile north of Sieben to Lyons Creek Parking Area Contractors will be doing rockfall mitigation in the north and south bound lanes. There will be a wide load restriction of 12' and will be allowed to go through the project Monday through Thursday 6pm to 8pm. There will be a staging area set up for both directions of travel. The NB staging area will be at MP 216 and the SB will be at MP 222. Expect rock activities, reduced speed of 35 MPH, and single lane traffic.
IH90	12' Width	12' Width on IH90 - Mile Marker 357 to 398 East and West bound lanes beginning West of Big Timber extending east. Widths will be restricted to 12 feet wide. Wide loads exceeding 12 feet and up to 13 feet 6 inches in width must call Poteet Construction between 6 a.m. and 8 p.m. at 406-830-5076 to check current conditions which may require being escorted through the project. Loads requiring escorts may stage at Columbus Interchange (westbound) and Springdale Interchange (eastbound). Escorting will occur Monday through Friday between 8 a.m. to 10 a.m. MST. Loads over 13 feet 6 inches wide must use an alternate route.
US12/US287	10' Width	10' Width on US12/US287, between MP49.825 to 88.163 (Helena to Three Forks). Until further notice, loads over 10 feet wide use an alternate route.
US12	12' Width	12' Width on US12, between MP68.2 to 68.3. Beginning Monday October 19th, 8:00 a.m to 7:00 p.m. Wide loads can be accommodated but may be delayed up to 1 hour. An alternative would be to go earlier or later in the day or to use the Martinsdale/Lennep Highway (MT-294). Project is anticipated to last until October 30th, weather permitting. Expect reduced speed of 35 MPH and pilot cars.
US87	12'6" Width	12'6" Width on US87, EB and WB, between Belt and Raynesford. WB Detour, Raynesford to Great Falls: U-87, S-427, US-89, US-87. EB Detour, Great Falls to Raynesford: US-87, US-89, S-427, US-87. Permanent restriction.

NEVADA

ALL WR ROUTES	Over 12' Wide	No Holiday Hours And No Hours Of Darkness. For Definitions, See http://www.nevadadot.com/Doing_Business/Trucking/Permit_Conditions_and_Restrictions.aspx#letters Or Call 800-552-2127/775-888-7410.
IH15	10' Wide Restriction	Clark County, Mesquite, Arizona has the gorge closed to 10'wide
IH15	12' Wide Restriction	No weekend hour from California state line to exit 33/Blue Diamond Road for loads over 12' wide
IH80	12' Wide	No weekend hour from California state line, to exit 31/Greg St/Vista Blvd for

	Restriction	loads over 12' wide
IH515/US95	12' Wide Restriction	Northbound I-515/US 95 ramp to northbound I-15 has been restricted to one travel lane until November 3, 2015.
US50	Tunnel closure	Westbound tunnel on US50 in Cave Rock, Douglas County closed for maintenance. One lane traffic in each direction through the eastbound tunnel. Construction times start at 7 am and end at 3 30 pm daily. Estimated End Time is 3:30 PM November 1, 2015
US93	No Permits	No oversized permits allowed on US93, both directions, between MP 88 and MP91; with flaggers, lanes reduced to one with traffic routed to opposite lanes, no passing. Estimated End Time is 3:00 PM Estimated End Time is 5:00 PM on 10/28/15

NEW MEXICO

http://dot.state.nm.us/content/dam/nmdot/trucking/Construction_List.pdf

	1	AOLWEIN TO HIAO FOR OWN OF THE CONTRACT MEANS IN MEANS IN THE
IH10	12' Width	12' Width on IH10, East & West Bound; between MP140 to MP143. Located
		on I-10 over University Ave. No local detours are available.
IH25	140,000 #	MP106.9: between T or C and Socorro. 140,000# weight restriction located
_	7,	between T or C and Socorro. Contact permit office for reroutes.
11105	401 \4/1 al4la	12' width on IH25, Northbound & Southbound; between MP420 - MP421
IH25	12' Width	(Springer & Maxwell, NM). Frontage Roads will not be allowed as detours.
		No exceptions!
11105	12' Width	12' width on IH25, Northbound & Southbound; between MP385 - MP386,
IH25	12 Wiath	located 2 miles south of Springer, NM. Frontage Roads will not be allowed as
		detours. No exceptions!
IH25	11' Width	11' Width on IH25, North & South Bound; between MP277 - MP278; located
ппи	Ti wiath	at the Cerrillos Rd. Exit in Santa Fe. Please contact Bridge Section for
		routing options @ 505-827-5540 The ramps onto NM 14 SB (Exit 278) from I-25 are closed. Loads traveling
		125 NB may use NM 599 to get to NM 14 SB. Loads traveling
	On-ramp	to NM 14 NB but will have to contact City of Santa Fe for local re-routes &
IH25	closed	City of Santa Fe Permit. These ramp closures do not affect NM 14 NB. There
	Cioseu	will also be night closures on NM 14 only in the same area from 9:00 PM -
		6:00 AM.
		All OS/OW loads traveling northbound on I25 must travel in far left lane when
IH25	Travel on far	crossing bridge @ MP230 - 231 due to damaged beams. Bridge is located on
	left lane	I-25 over San Mateo Blvd in Albuquerque, NM.
11105	401 \4/1 al4la	10' width restriction on north and south bound lanes MP1 to MP4. Located
IH25	10' Width	just north of E University Exit to just north of E Lohman Exit.
IH25/IH40		140,000 GVW max weight is set for the I-25/I-40 Interchange. All loads
	140,000 #	exceeding GVW will be re-routed using Albuquerque City streets. Local
Interchange		permit & permission is required for travel for local streets.
		80,000 LB weight restriction East Bound lanes only, between MP0 to MP5,
IH40	80,000 Max wt	located at the AZ line to town of Manuelito, NM. Please contact NM Bridge
		section for routing options
IH40	11' Width	11' Width on IH40, East & West bound lanes, between MP62 to MP68,
		located east of Thoreau, NM through Prewitt, NM
	401.1011.141	12' Width restriction on IH40, East & West bound lanes, between MM 91 to
IH40	12' Width	MM 96 (Grants & McCarty's). There is no detour, and Frontage Roads will
		not be utilized.
IH40	12' Width	12' width restriction both East & West bound lanes at MP238 to MM240.
		Located at the Torrence/Guadalupe County line.
11054	Blue loading	120,000 GVW weight restriction US 54 over the Canadian River south of
US54	weights limits	Logan. This weight must meet blue loading at all times whether the GVW
	1 1 3 1 1 0 1 1 1 1 1	allowance is met.

US64	Blue loading weights limits	120,000 GVW weight restriction located just south of Shiprock. This bridge runs over the San Juan River. Restriction is set for Southbound US 491 and Westbound US64. Must follow blue loading at all times.
US491	12' Width	12' Width on US491, North & South Bound, between MP15 to MP37, located north of JCT US491/NM 264 to the McKinley/San Juan County Line

OKLAHOMA

WARNING - IHS, TURNPIKE & HIGHWAYS DUE TO STORM DEBRIS AND FLOOD WATERS, PLEASE PROCEED WITH CAUTION

TURNPIKE	CASH MAX. WIDTH	PIKEPASS MAX. WIDTH
TURNER	9' 6"	11' 6"
WILL ROGERS	9' 6"	11' 6"
H.E. BAILEY	9' 6"	11' 6"

		1
Turner T/P	12' Width	12' Width on Turner TPK between Hogback Rd & OK102 - both directions
Will Rogers T/P	No Loads Over 80,000 Lbs	No Loads Over 80,000 Lbs. On Bridge Going Over SH-88 Both Directions, Rogers, Claremore County
H.E Bailey T/P	No Overweight	MP5: Loads Must Use Ramps On Bridge At HE Bailey & US70. Randlett
IH35	Into Kansas	80,000 Pounds, Axle Weights: - S-20000 D-34000 T-42000, No Rear Overhang In Excess Of 4 Ft. Must Have KS Permit First.
IH35 & IH240	90' Length	No Loads Over 90' Long Making The Interchange In Any Direction
IH40	Ramp closed	Closure on IH40 ramp leading to US64 W-bound in Sallisaw
IH40	10' Width	10' Width on IH40 between MP101 & MP108 - both directions - use US281 & US281 business to route around this restriction North of Hinton, Caddo/Canadian Counties
IH40	10' Width	10' Width on IH40, both directions, between US-283 & I-40B in Sayre
IH40	10' Width	10' Width on IH40, both directions, between exits 237 & 240 in Henryetta
IH44	10' Width	W-bound Only Between Creek TPK & N. 193 rd East Ave. In Tulsa
IH44	No Permitted Loads	No Permitted loads on IH44 W-bound Exit Ramp MP128A, S-bound To Lincoln
IH44	10' Width	10' Width on ramp between US77 S – bound going to IH44 Westbound in Oklahoma City
IH44	No Permitted loads	No permitted loads on IH44 between MP125B & 126 (Belle Isle Bridge) - both directions – Oklahoma City
IH44	No Width	No width from Exit MP125C(Westbound) To OK3/Northwest Expressway
US69	11' Width	11' Width on US69, both directions, between OK20 & OK28 in Adair
US69	12' Width	12' Width on US69 between OK43 & OK131 – NBound only Stringtown
US69	12' Width	12' Width on US69 between OK51B & US62 - both directions, Muskogee
US69	No Wide Loads	No Wide loads on US69 between OK43 & OK131, by Stringtown, Atoka Co.

OREGON

IH5	12' Width	I-5 MP 293.6 to MP 301 NB & SB (Portland) - Effective May 14, 2015, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 10 PM & 8 AM. In addition, the height will be restricted to 14 feet 10 in. in height
-----	-----------	---

		northhound and 15 feet 00 in in height couthhound during the come
		northbound, and 15 feet 00 in. in height southbound during the same time. These restrictions will be in place Sunday to Thursday nights between the
		hours of 10 PM & 8 AM, Friday and Saturday nights between the hours of 10
		PM & 12 noon. Estimated date of completion is October 30, 2015
		I-5 NB Exit 299B ramp to I-405 NB and Naito Pkwy (Portland) - Effective June
	D Ol	15, 2015, the ramp from I-5 northbound to I-405 northbound and Naito Pkwy will
IH5	Ramp Closure	be intermittently closed between the hours of 10 PM & 8 AM. Estimated date of
		completion is November 15, 2015.
		I-5 MP 299.9 to MP 300.1 NB (Marquam Bridge - Portland) - Effective June 15,
IH5	Full Closure	2015, this section of I-5 northbound will be intermittently closed between the
		hours of 10 PM & 8 AM. Estimated date of completion is November 15, 2015.
		I-5 MP 300.23 to MP 301.42 NB & SB (Portland) - Effective August 7, 2015, this
	Full closure	section of I-5 will be intermittently closed on Friday nights between the hours of
IH5		10 PM & 5 AM. In addition, the following ramps will be closed during the same
ins	and Ramp Closures	time: I-405 SB to I-5 NB; SW 5th Ave to I-405 SB; OR43 to I-5 NB; I-5 NB Exit 300 to I-84 EB; I-405 NB to I-5 SB; N Greeley Ave to I-5 SB; N Weidler / N
	Ciosures	Wheeler / N Winning Way to I-5 SB; I-84 WB to I-5 SB. Estimated date of
		completion is October 30, 2015.
		I-5 MP 300.32 to MP 301.13 NB (Portland) - Effective June 19, 2015, this
	Full closure	section of I-5 northbound will be intermittently closed on Friday nights between
IH5	and ramp	the hours of 10 PM & 5 AM. In addition, the ramp from I-5 northbound Exit 300
1113	closures	to I-84 eastbound, and the ramp from I-405 southbound to I-5 northbound will
	ciosures	be closed during the same time. Estimated date of completion is October 30,
		2015.
		I-5 SB MP 303.08 to MP 299.00 (Portland) - Effective June 1, 2015, this section
		of I-5 will be intermittently closed between the hours of 10 PM & 8 AM. Effective
		October 3, 2015, these closures will be in place until 11 AM on Saturday and Sunday. In addition, the following ramps will be intermittently closed during the
	Full Closure	same time: ramp from Greeley Avenue to I-5 southbound; ramp from I-405
IH5	and Ramp	northbound to I-5 southbound; ramps to / from I-5 southbound Exit 302A to
	Closures	Moda Center; I-5 southbound Exit 301 ramp to I-84 eastbound; I-84 southbound
	0.00000	Exit 300B ramp to US26 / OR99E / OMSI / Oregon City; ramp from I-84
		westbound to I-5 southbound; ramp from I-5 southbound to I-405 northbound; I-
		5 southbound Exit 299A ramp to OR43 southbound. Estimated date of
		completion is October 30, 2015.
1110.4	401 140 -141-	I-84 MP 227.54 to MP 227.41 WB (Emigrant Hill) - Effective October 27, 2015,
IH84	13' Width	this section of I-84 westbound will be restricted to 13 feet 00 in. in width.
		Estimated date of completion is October 31, 2015. I-405 SB ramp to I-5 SB (Portland) - Effective June 7, 2015, the ramp from I-
IH405	Ramp Closure	405 southbound to I-5 southbound will be intermittently closed between the
111403	Namp Glosure	hours of 10 PM & 8 AM. Estimated date of completion is November 2, 2015.
		I-405 MP 3.2 SB (Fremont Bridge - Portland) - Effective October 23, 2015, this
IH405	Full Closure	section of I-405 southbound will be intermittently closed between the hours of
		10 PM & 5 AM. Estimated date of completion is December 5, 2015.
		I-405 NB ramp to I-5 SB (Portland) - Effective November 8, 2015, the I-405
IH405	Ramp Closure	northbound ramp to I-5 southbound will be closed on Sunday nights between
111403	Namp Glosure	the hours of 10 PM & 5 AM. Estimated date of completion is November 16,
		2015.
11000	Permanent 12'	US26 MP 40.90 (Dennis Edwards Tunnel, west of Portland) - all loads over 12
US26	Width	feet 00 in. in width must stop traffic and straddle centerline, or use certified
	wiatn	
	wiatii	rolling stop method. Contact Oregon for details.
	Width	US26 MP 47.20 to MP 57.45 EB & WB (Government Camp, east of Portland) -
l	width	US26 MP 47.20 to MP 57.45 EB & WB (Government Camp, east of Portland) - Beginning April 1, 2015, this section of US26 will be closed for approximately 30
US26		US26 MP 47.20 to MP 57.45 EB & WB (Government Camp, east of Portland) - Beginning April 1, 2015, this section of US26 will be closed for approximately 30 minutes per the following schedule: In April, May, September, and October: 30-
US26	Full Closure	US26 MP 47.20 to MP 57.45 EB & WB (Government Camp, east of Portland) - Beginning April 1, 2015, this section of US26 will be closed for approximately 30 minutes per the following schedule: In April, May, September, and October: 30-minute closures may occur Mon/Tues/Thurs nights between the hours of 5:30
US26		US26 MP 47.20 to MP 57.45 EB & WB (Government Camp, east of Portland) - Beginning April 1, 2015, this section of US26 will be closed for approximately 30 minutes per the following schedule: In April, May, September, and October: 30-minute closures may occur Mon/Tues/Thurs nights between the hours of 5:30 PM & 6:30 PM. In June, July, and August: 30-minute closures may occur
US26		US26 MP 47.20 to MP 57.45 EB & WB (Government Camp, east of Portland) - Beginning April 1, 2015, this section of US26 will be closed for approximately 30 minutes per the following schedule: In April, May, September, and October: 30-minute closures may occur Mon/Tues/Thurs nights between the hours of 5:30

		construction work. No construction work will occur on holidays and Sundays. Estimated date of completion is October 31, 2015.
US30	Ramp Closure	US30 EB ramp to I-405 SB (Portland) - Effective October 23, 2015, the US30 eastbound ramp to I-405 southbound will be closed on Friday nights between the hours of 9 PM & 5 AM. Estimated date of completion is October 31, 2015.
OR58	Permanent 12' Width	OR58 MP 56.01 (Salt Creek Tunnel, east of Oakridge) - all loads over 12 feet 00 in. in width must stop traffic and straddle centerline, or use certified rolling stop method. Contact Oregon for details.
OR126	Permanent 12' Width	OR126 MP 19.68 (Knowles Creek Tunnel, east of Mapleton) - all loads over 12 feet 00 in. in width must stop traffic and straddle centerline, or use certified rolling stop method. Contact Oregon for details.

TEXAS

For Travel on the Following Highways: US59, US69, US77, US83, US84, US87, US287, US290, SH46, LP289, LP337 Contact Texas.

IH10	12' Width	12' max width into or out of New Mexico. This is a New Mexico restriction.
IH10	12' Width	12' max width on the IH10 NFR between FM659 (MP32) and E.LP375 (MP34A & B) in El Paso Co.
IH10	13' Width	13' max width on the IH10 SFR between FM659 (MP32) and E.LP375 (MP34A & B) in El Paso Co. in El Paso Co.
IH10	10' Width 70' Length	10' max width and/or 70' max length on IH10 for the following turns at JCT IH10 & E.LP375 (MP34A & B): • E.IH10 EB to E.LP375 NB • E.IH10 WB to E.LP375 SB • E.LP375 NB to E.IH10 WB
IH10	12' Width 65' Length	12' max width and/or 65' max length on IH10 WB to E.LP375 NB (MP34A) in El Paso Co.
IH10	12' Width	12' max width on IH10 between W.BI10 (MP105) and Lasca Rd (MP99) in Sierra Blanca, Hudspeth Co.
IH10	12' Width	12' max width on IH10 between FM3078 (MP192) and FM2903/BI10 (MP206) in Balmorhea.
IH10	12' Width No weight	12' max width on IH10 between FM1215 (1 mile west of MP212) and Hoefs Rd (MP222) east of Balmorhea.
IH10	12' Width 100,000 GVW	12' max width and/or 100,000 lbs. GVW on IH10 NFR between W.FM1674 (MP442) and E.FM1674 (MP445) except for loads with an origin/destination here in Kimble Co. Overwidth/over length: Front and rear escorts are required.
IH10	12' Width	12' max width on IH10 NFR and SFR between Dominion Dr (approximately 2 miles south of FM3351, MP550) and S.BU87 (MP542) in Boerne.
IH10	12' Width	12' max width on IH10 between 1 mile west of FM3351 (MP550) and 1 mile east of FM3351 in Bexar Co.
IH10	12' Width 80' Length	12' max width and/or 80' max length at the cloverleaf flyover on IH10 for the following turns at JCT IH10 & N.LP1604 (MP556A) IN Bexar Co.: IH10/US87 EB to N.LP1604 EB IH10/US87 WB to N.LP1604 WB N.LP1604 EB to IH10/US87 WB N.LP1604 WB to IH10/US87 EB
IH10	12' Width	12' max width on the IH10 EFR and WFR between NW.LP1604 (MP556) and Huebner Rd (MP560A) in San Antonio.
IH10	No Permits	No permits on IH10 between New Braunfels Ave (MP576) and E.US87 (MP577) in San Antonio.
IH10	12' Width 80' Length	12' max width and/or 80' max length at the cloverleaf flyover on IH10 & E.IH410 (MP581) in San Antonio: • E.IH410 NB to IH10/US90 WB

		E.IH410 SB to IH10/US90 EB
		IH10/US90 EB to E.IH410 NB
		IH10/US90 WB to E.IH410 SB
IH10	65' Length	65' max length for the following turns at JCT IH10 & FM78 (MP607) in Seguin: •FM78 EB to IH10 EB
		•FM78 WB to IH10 EB
IH10	No Width	No width traveling on the outside main lanes of IH10 at W.IH610 (MP763).
IH10	No Permits	No permits eastbound between W.IH610 (MP763) and Smith St (approximately 1/4 mile east of E.IH45) in Houston.
IH10	No Permits	No permits on the ML, NFR, and SFR of IH10 between W.IH610 and W.IH45.
IH10	10' Width	10' max width traveling IH10/US90 EB to IH45 NB in Houston.
IH10	No Permits	No permits on IH10 between Waco St (MP7771A) and Lockwood Dr (MP771B) in Houston.
	11' Width	11' max width, 80' max length, 50' max trailer length, and/or 100,000 lbs. GVW
IH10	80' Length 100 lbs. GVW	on the NFR and SFR between 1/2 mile west of Thompson Rd (MP789) and 1/2 mile east of Thompson Rd.
IH10	11' Width	11' max width on IH10 between FM364 (MP845) and Brooks Rd (approximately 1 mile east of FM364).
IH10	90' Length	90' max length traveling IH10 WB to SH87 NB (MP877) in Orange.
IH20	No Weight	No weight on IH20 westbound over FM1219 (MP73) in Wickett. Loads must ramp off and ramp on.
IH20	11' Width	11' max width on IH20 between FM1936 (MP112) and W.LP338 (MP113) in Ector Co.
IH20	No Permits	No permits on IH20 SFR between FM1882 (MP115) and US385 (MP116) in Odessa.
IH20	No Weight	No weight on IH20 over E.LP338 (MP121) in Odessa. Both directions. Loads must ramp off and ramp on.
IH20	Truck Route	All loads must be detoured around Odessa using IH20 and/or LP338 Ector County, City of Odessa Truck Route
IH20	11' Width	11' max width on IH20 between 1 mile west of CR1150 and 1 mile east of CR1150 (approximately ½ mile east of FM307.)
IH20	12' Width 85' Length and/or 59' trailer Length	ML: 12' max width, 85' max length, and/or 59' max trailer length on IH20 between CR Moore Field Rd (MP171) and W.BI20 (MP174) in Big Spring. NFR and SFR: No permits on the NFR and SFR between Cauble Rd (MP172) and W.BI20 (MP174) in Big Spring. CR Moore Field Rd is located approximately 1 ½ miles east of FM2599 (MP169). Cauble Rd (MP172) is located approximately 1 ¾ miles west of W.BI20 in Big
		Spring, Howard County
IH20	110' Length	110' length on IH20 for the following turns at JCT IH20 & US283: in Baird (MP307), Callahan County: IH20 NFR EB to US283 NB IH20 NFR WB to US283 NB US283 SB to IH20 NFR EB US283 SB to IH20 NFR WB
IH20	85' Length	85' max length for all turns at IH20 NFR and CR177 (approximately halfway between US183 and SP490). 85' max length for all turns at IH20 SFR and CR177 in Eastland Co.
IH20	No Permits	No permits on IH20 NFR (MP393), which is a truss bridge and is over the Brazos River, Millsap area. The Brazos River is located approximately 1 3/4 miles west of FM113.
IH20	No Permits	No permits on the IH20 NFR between SP312 (MP402) and Mini Ranch Rd (approximately ¾ mile west of SP312) in Weatherford.
IH20	10' Width	10' max width on IH20 NFR and SFR between the off- and on-ramps west Old Dennis Rd/Bowie Dr (MP406) and the off- and on- ramps east of Old Dennis Rd/Bowie Dr in Weatherford, Parker Co.
IH20	No Permits	No permits on IH20 (Exit 473A) Westbound under IH45, Dallas.

IH20	IH20	No Permits	No permits on IH20 (Exit 473B) Eastbound to IH45 NB, Dallas.
H20 10' Width 10' max width on H20 WB between E.LP281 (Exit 599) and SH135 (Exit 583) in Harrison/Gregg Co. No weight to the SFR between W. US80 (MP633) and E.US80 (MP635) in the Waskom area, Harrison Co. All loads must remain on IH27 through Lubbock or use LP289 around Lubbock. Other highways inside LP289 may be used only for loads with an origin or destination inside of LP289. 100' max length and all vehicles must have no less than 18' of ground clearance on the IH27 WFR at the railroad crossing just north of SH194 (Exit 50) in Plainview. No lowboy type trailers on the IH27 EFR over the railroad crossing just west of NUS87 (Exit 77) in Tulia. 10' Width 10' width 10' width 10' max width on IH30 between FM548 (Exit 77 A & B) and FM551 (Exit 73), east of Rockwall. 10' width 10' max width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie Co. 11' width 12' max width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie Co. 11' width 12' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E southbound exit ramp to Frankford Rd (just north of Rampy L radio and North All rams width on the IH35E southbound exit ramp to Frankford Rd (just north of Rampy L radio and North All radio and Nort	IH20	10' Width	10' max width on IH20 EB between SH135 (Exit 583) and E.LP281 (Exit 599) in
Hazison/Gregg Co.	11120	10 WIGHT	
Harrowear Harrow	IH20	10' Width	Harrison/Gregg Co.
Truck Route Other highways inside LP289 may be used only for loads with an origin or destination inside of LP289. 100' Length & No Lowboys 1147 No Lowboys No Lowboys No lowboy by Pianiers on the IH27 WFR at the railroad crossing just north of SH194 (Exit 50) in Pianiview. No Lowboys No lowboy type trailers on the iH27 EFR over the railroad crossing just west of NUS87 (Exit 77) in Tulia. 10' Width 10' Width 10' Width on IH30 between FM548 (Exit 77 A & B) and FM551 (Exit 73), east of Rockwall. 11' Width 10' Width on IH30 NFR and SFR between FM3549 (Exit 70) and FM548 (Exit 77 A & B), east of Rockwall. 11' Width 10' max width on IH30 NFR and SFR between FM3549 (Exit 70) and FM548 (Exit 77 A & B), east of Rockwall. 11' Width 11' Width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie, Morris, and Titus Co. 11' max width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie Co. 11' Width 11' Width on IH35 W on the MLs, EFRs, and WFRs between Meacham Blvd (Exit 56A) and Fossil Creek Blvd (approximately ½ mile north of No Weight 11' Width on IH35 W on the MLs, EFRs, and WFRs between Neacham Blvd (Exit 56A) and Fossil Creek Blvd (approximately ½ mile north of N. IH820) in Fort Worth. 11' Width and/or 12' Width and/or 11' Width and/or 12' Width and/or 13' Width and/or 14' Width and/or	IH20	No weight	Waskom area, Harrison Co.
Hash	IH27		
clearance on the IH27 WFR at the railroad crossing just north of SH194 (Exit No Lowboys Ship Plainview. IH30 No Lowboys No lowboy type trailers on the IH27 EFR over the railroad crossing just west of N.US87 (Exit 77) in Tulia. IH30 10' Width IH30 NFR and SFR between FM3549 (Exit 70) and FM548 (Exit 77 A & B), east of Rockwall. IH30 10' Width IH30 10' Width IH30 12' Width IH31 12' Width IH32 12' Width IH33 No Permits on the IH35 between FM468 (MP67) and FM469 (MP77) in LaSalle Co. IH35 No Permits on the IH35 between FM468 (MP67) and FM479 (MP131) in Medina Co. IH35 No ravel No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. IH35 No travel on He IH35 SW R between FM35 between New Braunfels Ave (MP169) and O'Connor Rd (MP169) in San Antonio and W.L.P1604 (MP140). Over 12' wide: front e		Truck Route	destination inside of LP289.
IH27 No Lowboys S0) in Plainview.	11.107	100' Length &	
IH30 No Lowboys No lowboy type trailers on the IH27 EFR over the railroad crossing just west of N.US87 (Exit 77) in Tulia.	IH21		,
IH30 10' Width 10' width on IH30 between FM548 (Exit 77 A & B) and FM551 (Exit 73), east of Rockwall. 10' width on IH30 NFR and SFR between FM3549 (Exit 70) and FM548 (Exit 77 A & B), east of Rockwall. 10' max width on IH30 NFR and SFR between FM3549 (Exit 70) and FM548 (Exit 77 A & B), east of Rockwall. 10' max width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie, Morris, and Titus Co. 12' max width on IH30 between from the West of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 12' max width on IH30 between from the West of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 12' max width on IH30 between from the West of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 12' max width on IH30 between from the West of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 12' max width on IH30 between from the West of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 11' max width on IH30 between from the West of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 11' max width on IH30 between from the West of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 11' max width on IH30 between from the IH35 West of FM44 (MP188) and Ymile west of SP86 (Exit 206) in Bowie, Morris, and Titus Co. 11' max width on IH30 between from the IH35 West of FM44 (MP184) and Grandys Ln (approximately ½ mile south of FM407) in Lewisville, Denton Co. 10' max width on IH35 Worth Medica Co. 11' Width and/or from the IH35 Ers, and WFRs between Macham Blvd (Exit 56A) and Fossil Creek Blvd (approximately ½ mile onth of N.IH820 in Fort Worth. 11' Width and/or from weight on the IH35 West onto the WFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. 11' max width and/or no weight on the IH35 WFR. This is in Laredo. 11' max width and weight distribution. All traditic exits onto the WFR and must travel on the load zoned part of IH35 WFR. This is in Laredo. 11' max width and/or the load zoned part of IH35 WFR. This is in Laredo. 11' max width and/or the load zo	11107	No Louis	
IH30 10' Width Rockwall. 10' max width on IH30 NFR and SFR between FM3549 (Exit 70) and FM548 (Exit 77 A & B), east of Rockwall. 10' Midth 10' max width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie, Morris, and Titus Co. 12' max width on IH30 between ½ mile west of FM44 (MP188) and ¼ mile west of SP86 (Exit 208) in Bowie Co. 12' max width on IH35 between ½ mile west of FM44 (MP188) and ¼ mile west of SP86 (Exit 208) in Bowie Co. 11' Width 1' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on IH35W 10' Width 11' max width and/or no weight on the IH35W 15' Width and/or No Weight 11' Width and/or No Weight 11' Width and/or no weight on the IH35W 15' Width and/or no Weight 11' Width and/or no weight on the IH35W 15' Width 11' Width and/or no weight on the IH35W 15' Width 11' Width and/or no weight on the IH35W 15' Width 11' Width and/or no weight on the IH35W 15' Width 11' Width 11' Width 11' Width and/or no weight on the IH35 WFR. This is in Laredo. 11' Width 11' Wi	IH27	No Lowboys	N.US87 (Exit 77) in Tulia.
IH30 10 Width (Exit T7 A & B), east of Rockwall. 10' max width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie, Morris, and Titus Co. 12' Width	IH30	10' Width	
IH30 10' Width 10' max width on IH30 between the Franklin/Titus County line (MP153.5) and FM990 (MP192) in Bowie, Morris, and Titus Co. 12' Width 12' max width on IH30 between ½ mile west of FM44 (MP188) and ¼ mile west of SP86 (Exit 206) in Bowie Co. 11' max width on IH30 between ½ mile west of FM44 (MP188) and ¼ mile west of SP86 (Exit 206) in Bowie Co. 11' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E/US77 WFR between FM407 (MP454A) and Grandys Ln (approximately ½ mile south of FM407) in Lewisville, Denton Co. 10' max width on IH35W on the MLs, EFRs, and WFRs between Meacham Blvd (Exit 56A) and Fossil Creek Blvd (approximately ½ mile north of N.IH820) in Fort Worth. 11' max width and/or no weight on the IH35W EFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. 11' max width and/or no weight on the IH35W EFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. 11' max width and/or no weight on the IH35W EFR and wife between the load zoned axle weight distribution. All traffic exits onto the WFR and must travel on the load zoned part of IH35 WFR. This is in Laredo. 11' so IL sale weight distribution when making the following turns at the junction IH35 & US83 (MP18). Loads travel on the WFR & EFR. In the Laredo area. 11' so IL sale weight distribution when making the following turns at the junction IH35 & US83 St to N.IH35 SB 11' so IL sale weight so N.IH35 SB 11' so IL sale weight so IL sale so	IH30	10' Width	
IH30 12' Width 12' max width on IH30 between ½ mile west of FM44 (MP188) and ¼ mile west of SP86 (Exit 206) in Bowie Co. 11' max width on IH30 between ½ mile west of FM44 (MP188) and ¼ mile west of SP86 (Exit 206) in Bowie Co. 11' max width on the IH35E southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E Southbound exit ramp to Frankford Rd (just north of the Dallas/Denton County line). 11' max width on the IH35E/US77 WFR between FM407 (MP454A) and Grandys Ln (approximately ¾ mile south of FM407) in Lewisville, Denton Co. 10' max width on IH35W on the MLs, EFRs, and WFRs between Meacham Blvd (Exit 56A) and Fossil Creek Blvd (approximately ½ mile north of N.IH820) in Fort Worth. 11' width and/or No Weight 11' max width and/or no weight on the IH35W EFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. 11' max width and/or no weight on the IH35 W EFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. 11' max width and/or no weight on the IH35 WFR. This is in Laredo. 11' max width and/or no weight on N.ILP20 EB (MP8) must have load zoned axle weight distribution. All traffic exits onto the WFR and must travel on the load zoned part of IH35 WFR. This is in Laredo. 11' max width on the WFR & EFR. In the Laredo area. 11' max width on the WFR & EFR. In the Laredo area. 11' max between the WFR and must travel on the WFR as B to N.IH35 NB 11' max width on IH35 between FM468 (MP67) and FM469 (MP77) in LaSalle Co. 11' max width on IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. 11' max width on IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. 11' max width on IH35 between FM471 (MP127) in Medina Co. 11' max width on IH35 between FM471 (MP144) in San Antonio and W.LP1604 (MP140). 11' max width on IH35 between Binz Englema Rd and Eisenhauer Rd (MP164B) 11' max width and rise p			
IH35E	IH30	10' Width	FM990 (MP192) in Bowie, Morris, and Titus Co.
IH35E	IH30	12' Width	
IH35E 11' Width 21' max width on the IH35E/US77 WFR between FM407 (MP454A) and Grandys Ln (approximately ½ mile south of FM407) in Lewisville, Denton Co. 10' max width on IH35W on the MLs, EFRs, and WFRs between Meacham Blvd (Exit 56A) and Fossil Creek Blvd (approximately ½ mile north of N.IH820) in Fort Worth. IH35W 11' Width and/or No Weight 11' max width and/or no weight on the IH35W EFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. All load Zone Weights 2 weight distribution. All traffic exits onto the WFR and must travel on the load zoned part of IH35 Southbound to N.I.P20 EB (MP8) must have load zoned axle weight distribution. All traffic exits onto the WFR and must travel on the weight distribution when making the following turns at the junction IH35 & US83 (MP18). Loads travel on the WFR & EFR. In the Laredo area. IH35 & Load Zone Weights 9 IH35 NB to IH35 SB to N.IH35 NB US83 NB US83 SB to N.IH35 SB NO Permits No permits on the IH35 EFR between N.B135 (MP68) in Cotulla and CR31 (approximately 4 miles south of N.FM469). In Cotulla and CR31 (approximately 4 miles south of N.FM469). No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. IH35 No travel No travel No travel No travel Over 12' wide: not left of the MP169 in San Antonio and W.L.P1604 (MP140). Over 12' wide: 1H35 Weekend No permits on IH35 between Fischer Rd (MP144) in San Antonio and feet self-secort requirement 2 weekend No permits on IH35 between Fischer Rd (MP144) in San Antonio and feet self-secort requirement 2 weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)			
IH35E	IH35E	11' Width	
IH35W 10' Width 10' Width 10' Width 10' Max width on IH35W or the MILs, EFRs, and WFRs between Meacham Blvd (Exit 56A) and Fossil Creek Blvd (approximately ½ mile north of N.IH820) in Fort Worth. 11' Width and/or No Weight of No Weight on the IH35W EFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. 11' max width and/or no weight on the IH35W EFR and WFR between N.IH820 and North Tarrant Pkwy (Exit 61) in Fort Worth. All loads exiting IH35 Southbound to N.LP20 EB (MP8) must have load zoned axle weight distribution. All traffic exits onto the WFR and must travel on the load zoned part of IH35 WFR. This is in Laredo. All overweight loads exiting IH35, north of Laredo, must have load zoned axle weight distribution when making the following turns at the junction IH35 & US83 (MP18). Loads travel on the WFR & EFR. In the Laredo area. • IH35 NB to N.US83 NB • IH35 SB to N.US83 NB • IH35 SB to N.US83 NB • US83 SB to N.IH35 NB IH35 Off-Ramp closed (approximately 4 miles south of N.FM469). IH35 No Permits No Permits No Permits No travel No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No travel No travel No travel No travel Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	IU2EE	11' Width	
IH35W	INSSE	i i wiatii	
IH35W IH35W IH36W IH37	ILISEW	40' Width	
IH35W	IUSOAA	10 Width	
IH35	1110514/	11' Width and/or	
All verweight distribution. All traffic exits onto the WFR and must travel on the load zoned part of IH35 WFR. This is in Laredo. All overweight loads exiting IH35, north of Laredo, must have load zoned axle weight distribution when making the following turns at the junction IH35 & US83 (MP18). Loads travel on the WFR & EFR. In the Laredo area. IH35 & Load Zone N.US83 NB IH35 NB to N.US83 N	IH35W		and North Tarrant Pkwy (Exit 61) in Fort Worth.
Weights		Load Zone	
All overweight loads exiting IH35, north of Laredo, must have load zoned axle weight distribution when making the following turns at the junction IH35 & US83 (MP18). Loads travel on the WFR & EFR. In the Laredo area. • IH35 NB to N.US83 NB • IH35 NB to IH35 SB • IH35 SB to N.US83 NB • US83 SB to N.IH35 NB • US83 SB to N.IH35 NB • US83 SB to N.IH35 SB IH35 Off-Ramp closed (approximately 4 miles south of N.FM469). IH35 IH35 No Permits No Permits No Permits No Permits No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No permits on the IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). US83 SB to N.IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). US93 SB to N.US83 NB • US83 SB to N.UE35 NB • US83 SB to N.UE35 NB • US83 SB to N.UE35 NB • US83 SB to N.U	IH35		
Weight distribution when making the following turns at the junction IH35 & US83 (MP18). Loads travel on the WFR & EFR. In the Laredo area. IH35 & Weights Load Zone Weights IH35 NB to N.US83 NB IH35 NB to IH35 SB IH35 NB to N.US83 NB US83 SB to N.IH35 SB No permits on the IH35 EFR between N.BI35 (MP68) in Cotulla and CR31 (approximately 4 miles south of N.FM469). IH35 No Permits IH35 No Permits No permits on the IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)			
IH35 & Load Zone Weights Load Zone Weights IH35 NB to N.US83 NB IH35 NB to N.US83 NB IH35 NB to N.US83 NB US83 SB to N.US83 NB US83 SB to N.IH35 NB IH35 No permits on IH35 between FM468 (MP67) and FM469 (MP77) in LaSalle Co. No permits on the IH35 EFR between N.BI35 (MP68) in Cotulla and CR31 (approximately 4 miles south of N.FM469). IH35 No Permits No permits on the IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. IH35 Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)			
N.US83 Weights IH35 NB to IH35 SB IH35 SB to N.US83 NB US83 SB to N.IH35 NB US83 SB to N.IH35 SB No Permits No permits on IH35 between FM468 (MP67) and FM469 (MP77) in LaSalle Co. No permits on the IH35 EFR between N.BI35 (MP68) in Cotulla and CR31 (approximately 4 miles south of N.FM469). IH35 12' Width IH35 No Permits No Permits No Permits No travel No travel No travel No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)			
 IH35 SB to N.US83 NB US83 SB to N.IH35 NB US83 SB to N.IH35 NB US83 SB to N.IH35 SB IH35 No Permits No permits on IH35 between FM468 (MP67) and FM469 (MP77) in LaSalle Co. IH35 Closed No permits on the IH35 EFR between N.BI35 (MP68) in Cotulla and CR31 (approximately 4 miles south of N.FM469). IH35 12' Width Medina Co. IH35 No Permits No permits on the IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. IH35 No travel No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. IH35 No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. IH35 Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B) 			
● US83 SB to N.IH35 NB ● US83 SB to N.IH35 SB IH35 No permits No permits on IH35 between FM468 (MP67) and FM469 (MP77) in LaSalle Co. IH35 Off-Ramp closed (approximately 4 miles south of N.FM469). IH35 12' Width 12' width No permits on the IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. IH35 No Permits No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. IH35 No travel No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Escort requirement (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	N.US83	Weights	
 US83 SB to N.IH35 SB IH35 No Permits No permits on IH35 between FM468 (MP67) and FM469 (MP77) in LaSalle Co. IH35 Off-Ramp closed (approximately 4 miles south of N.FM469). IH35 12' Width 12' max width on IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. IH35 No Permits No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. IH35 No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). IH35 Escort requirement (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. IH35 Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B) 			
IH35			
IH35 Off-Ramp closed (approximately 4 miles south of N.FM469). IH35 12' Width 12' max width on IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. IH35 No Permits No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. IH35 No travel No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Escort requirement (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on the IH35 EFR between N.BI35 (MP68) in Cotulla and CR31 (approximately 4 miles south of N.FM469). 12' width (AP127) and FM2790 (MP131) in Medina Co. No permits on IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	IH35	No Permits	
IH35 12' Width 12' width 12' max width on IH35 between FM471 (MP127) and FM2790 (MP131) in Medina Co. No permits No permits No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)			
H35 No Permits No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. H35 No travel No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Escort requirement (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	เมางอ	closed	
IH35 No Permits No permits on the IH35 NB and SB Exit Ramps to FM471 (MP127) in Medina Co. No travel No travel No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Escort requirement CO. No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	IH35	12' Width	
IH35 No travel No travel No travel No travel on IH35 WFR between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. Weekend No travel No travel No permits on IH35 between Fischer Rd (MP144) in San Antonio and W.LP1604 (MP169). No permits on IH35 between Bins Engleman Rd and Eisenhauer Rd (MP164B)			
W.LP1604 (MP140). Percent requirement W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. Weekend Weekend W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	IH35	No Permits	. , , , , , , , , , , , , , , , , , , ,
W.LP1604 (MP140). Over 12' wide: front escort required on IH35 between New Braunfels Ave (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. Weekend Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	IH35	No travel	` '
IH35 (MP159A) and O'Connor Rd (MP169) in San Antonio. This restriction also affects E.IH410 where it is double signed with IH35. Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)		110 114701	
affects E.IH410 where it is double signed with IH35. IH35 Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	ILISE	Escort	
IH35 Weekend No permits on IH35 between Binz Engleman Rd and Eisenhauer Rd (MP164B)	เมออ	requirement	
	IH35	Weekend	
			in San Antonio every weekend, Saturday and Sunday.

		Binz Engleman Rd is located approximately 4 miles south of FM1976.
		Eisenhauer Rd is located approximately 1 mile south of FM1976.
		This restriction also affects E.IH410 where it is double signed with IH35.
		No permits on the following IH35/E.IH410 Exit Ramps at Eisenhauer Rd
IH35/E.IH410	No Permits	(MP164B): • NB Exit Ramp to Eisenhauer Rd
		SB Exit Ramp to Eisenhauer Rd
		11' max width on IH35 for the following turns at JCT IH35 & NE.LP1604
		(MP172) located in San Antonio (cloverleaf):
		• IH35 NB to NE.LP1604 NW
	4 41 34 11 141	IH35 NB to NE.LP1604 SE
IH35	11' Width	IH35 SB to NE.LP1604 NW
		IH35 SB to NE.LP1604 SE
		NE.LP1604 NW to IH35 SB
		NE.LP1604 SE to IH35 SB
		Turns not permitted on IH35 for the following turns at JCT IH35 & NE.LP1604
IH35	No turns	(MP172) located in San Antonio:
	NO turns	IH35 NB to NE.LP1604 NW
		IH35 NB to NE.LP1604 SE
IH35	No permits	No permits on IH35 EFR between SH218 (MP172) and Olympia Pkwy
		(approximately 1 mile north of NE.LP1604) in Selma.
IH35	Off-Ramp closed	No permits on the IH35 SB Exit Ramp (MP173) to Olympia Pkwy (approximately
	ciosea	1 mile north of NE.LP1604) in Selma. 11' width on IH35 EFR and WFR between 1 mile south of Yarrington Rd
IH35	11' Width	(approximately 3 miles south of S.FM150) north of San Marcos and N.FM150
11133	i i i i i i i i i i i i i i i i i i i	(Exit 213).
	N. M. L. 11	No width and/or 13'6" max height on IH35 between SH71 (MP230B) and US183
IH35	No Width and/or	(240A) in Austin. Over length and/or over weight permits routed through Austin
	13'6" Height	must use the inside lane of the lower level of IH35.
IH35	11' Width	11' max width on the IH35 EFR and WFR between US79 (MP252A) and
11133	11 Width	FM3406 (MP253) in Williamson Co.
IH35	10' Width	10' max width on the IH35 WFR between Westinghouse Rd (MP259) in
		Georgetown, Williamson Co., and ½ mile south of FM1431 (MP257).
IH35	Erontogo road	Frontage road closed on IH35 EFR between S.FM2268 (MP283) and
INSS	Frontage road	Stagecoach Rd/Robertson Rd (approximately 1 mile north of S.FM2268) in Salado.
		9' max width on IH35 WFR between LP121 (MP292) and S.FM2268 (MP283)
IH35	9' Width	(Belton-Salado area)
ILIOE	19) 6)) Unimb4	13'6" max height northbound on IH35 at Stagecoach Rd/Robertson Rd
IH35	13' 6" Height	(approximately 1 mile north of S.FM2268) in Salado.
IH35	13' Width	13' max width on IH35 EFR between Shanklin Rd (MP290) and LP121 (MP292)
11100	10 Width	in Belton.
IH35	10' Width	10' max width on IH35 EFR between Berger Rd (MP305) in Temple and Austin
		St (approximately ¼ mile south of FM935, MP308) in Troy.
IH35	10' Width	10' max width on IH35 WFR between FM1237 (MP 306) and Estes Pkwy (approximately ¾ mile south of FM1237) in Troy.
		No permits on SB off-ramp to Hart Rd/Berger Rd (MP 305, approximately 1 ¼
IH35	No permits	miles north of N.LP363) in Temple.
		No permits on all SB Exit Ramps and SB Entrance Ramps between FM935
IH35	No permits	(MP308) and Little Elm Rd (approximately ½ mile south of FM1237, MP 306) in
	•	Temple.
IH35	80' Length turns	80' max length for all turns to or from the IH35 frontage roads & SH7/FM107
поэ		(Exit 315) in Eddy.
	9' Width 85'	9' max width, 85' max length, and/or 53' max trailer length on the IH35 WFR
IH35	Length and/or	between Old Moody Rd (approx. 2 miles north of SH7) in Bruceville-Eddy and
ILIOE	53' Trailer	SH7 (MP315).
IH35	12' Width	12' max width on the IH35 WFR between S.FM2837 (MP322) and at Telephone

		Rd (approximately 5 miles north of SH7, MP315) in Lorena.
		12' width on IH35 between S.FM2837 (MP322) and N.FM2837 (MP323) in
IH35	12' Width	Lorena.
IH37	12' Width	12' max width on IH37 southbound between FM888 (MP40) and FM630 in San Patricio Co.
IH37	10' Width	10' max width on IH37 northbound between S.US281 (MP103) in Pleasanton and 1 mile north of SP199 (MP104).
11140	N1 11	No weight on IH40/US287 between Arthur St (approximately ½ mile east of
IH40	No weight	IH27/MP70) and Ross St (approximately 1 ¼ miles east of IH27) in Amarillo.
IH40	No Permits	No permits on the IH40/SH70 NFR and SFR between W.SH70 (MP121) and E.SH70(MP124) in Gray Co.
IH40	12' Width	12' max width on IH40 between W.FM3143 (MP142) and CR29 (1/4 mile east of E.BI40/MP143) in McLean, Gray Co.
IH45	50' Length	50' max length for the following maneuvers onIH45 at Holland Rd (MP17) in Texas City, Galveston Co.: •IH45 NB dropping off to Holland Rd WB •IH45 NB, Crossing over at Holland Rd, IH45 SB Holland Rd is the located approximately 2 miles north of FM1764.
IH45	10' Width	10' max width on the IH45 EFR and WFR between NASA1 (MP23) and FM2351
11173	10 Width	(MP29) in Harris Co.
IH45	No permits	No permits on the IH45 EFR and WFR between FM2351 (MP29) and FM2553 (MP30) in Harris Co.
IH45	12' Width	12' max width IH45 SB to IH10 WB (MP48B) in Harris Co.
IH45	No permits	No permits on the following IH45 ramps at Spring Crossing/Hardy Toll Rd (MP70B) in Spring: •IH45 NB Exit Ramp to Spring Crossing/Hardy Toll Rd. •IH45 SB Entrance Ramp from Spring Crossing/Hardy Toll Rd. Spring Crossing/Hardy Toll Rd are located just south of the Montgomery/Harris County line.
IH45	12' Width	12' max on IH45 between Tamina Rd/Research Forest (MP76) and SH242 in Montgomery Co.
IH45	100' Length	100' max length on the IH45 WFR between OSR (MP152) and FM977 (MP156) in Leon Co.
IH45	No length	No length for the following turns at JCT IH45 & FM977 (MP156) in Leon Co.: •IH45 ML NB to FM977 EB •IH45 ML NB to FM977 WB •IH45 ML SB to FM977 EB •IH45 ML SB to FM977 WB
IH45	100' Length	100' max length on IH45 between SH7 (MP164) and US79 (MP178) in Leon Co.
IH45	11' Width	11' max width on IH45 southbound over S.BI45 (MP338B) in Corsicana.
IH69/US59	11' Width	11' max width and/or 15,000 lbs. per axle or axle group on IH69/US59 between SP10 and FM2759 in Fort Bend Co.
IH69/US59	12' Width	12' max width on IH69/US59 between SH36 and Williams Way Blvd (1 ¾ miles west of FM2759) in Richmond.
IH69/US59	11' Width	11' max width on IH69/US59 northbound between Reading Rd (approximately 3/4 mile west of FM762) in Richmond and FM2759.
IH69/US59	11' Width	11' max width on the IH69/US59 EFR between FM1314 and FM1485 in Montgomery Co.
IH69/US59	No Width	No width on the IH69/US59 EFR and WFR under Community Dr (approximately 1 ¾ miles north of FM1314) in Porter.
IH69/US59	No permits	No permits traveling IH69/US59 SB to N.LP494 SB in New Caney.
IH369/US59	12' Width	12' max width on the right turn ramp when travelling IH369/US59 SB to US59 SW @ SH93. Over 12'wide may turn right at the signals in Bowie Co.
IH369/US59	No permits	No permits on IH369/US59 between SH93 and IH30.
IH410	No Width or Height, and/or 65'	No width, no height, and/or 65' max length on all highways inside IH410.

	Length	
IH410	12' Width	12' max width on E.IH410 NB between IH10 (MP33) and Rittiman Rd (MP164A) in San Antonio. This restriction also affects IH35 northbound where it is double signed with E.IH410
IH410	12' Width	12' max width on the N.IH410 NFR and SFR between Callaghan Rd (approximately 1 ½ miles west of NW IH10) and SH151 (MP9) in San Antonio.
IH410	12' Width	12' max width and/or no weight on the W.IH410 EFR and WFR between Marbach Rd (MP7) and FM2536 (MP2) in San Antonio.
IH410	12' Width and/or 80' Length	12' max width and/or 80' max length for the following turns at JCT W.IH410/SH16 & US90 (MP6) in Bexar Co.: •W.IH410/SH16 NB to US90 WB •W.IH410/SH16 SB to US90 EB •US90 EB to W.IH410/SH16 NB •US90 WB to W.IH410/SH16 SB
IH410	No permits	No permits on the S.IH410 NFR between SP536 (MP44) and IH37 (MP41) in Bexar Co.
IH610	13' Width	NB Exit Ramp: 13' max width on the E.IH610 NB Exit Ramp to Market St (MP26A) in Houston. SB Entrance Ramp: 13' max width on the E.IH610 SB Entrance Ramp from Market St.
IH610	No permits	No permits on the N.IH610 NFR and SFR at Fulton St (MP17B) in Houston.
IH610	No permits	No permits on the N.IH610 NFR between US290 (MP12) and Ella Blvd (MP14) in Houston.
IH610	No permits	No permits on the N. IH610 SFR between ½ mile northeast of 18th St (MP12) and Hackett Dr (approximately 1 ¼ miles east of US290) in Houston.
IH610	10' Width	10' max width on the W.IH610 SB Exit Ramp to Old Katy Rd (MP11A) in Houston.
IH610	No permits	No permits on W.IH610 between US59 (MP8A) and FM1093 (MP8B) in Houston.
IH610	12' Width	12' max width on the NB and SB exit ramps from W.IH610 to: San Felipe St (MP8C) located approximately 1 ¼ miles north of IH69. FM1093 (MP8B) located approximately 1 mile north of IH69. Richmond Ave (MP8A) located approximately ¼ mile north of IH69.
IH610	No permits	No permits for the following maneuvers at JCT W.IH610 & IH69/US59 in Houston: •W.IH610 NB •IH69/US59 NB to W.IH610 NB
IH610	No permits	No permits on the S.IH610 NFR between FM521 (MP1B) and SW.US90A (MP3) in Houston.
IH610	No permits	No permits traveling S.IH610 EB to SH288 SB (MP38C) in Houston.
IH820	No Permits	No permits on E.IH820 NB to SH121 SW (Exit 24) in Tarrant Co.
IH820	10' Width	10' max width on the NE.IH820 ML, NFR, and SFR between Mark IV Parkway (Exit 16B) and S.SH121 in Fort Worth.
IH820	100' Length	100' max length for the following turns at JCT N.IH820 & SH199 (Exit 10B), Tarrant Co.: •N.IH820 EB to SH199 NB •N.IH820 WB to SH199 SB •SH199 NB to N.IH820 WB •SH199 SB to N.IH820 EB

<u>UTAH</u>

IH15	10' Width Gross Weight	Arizona has restricted I-15 North and South Bound through Arizona Width and Weight restriction (Southbound only no loads over 150,000 lbs.)
US6	10' Width	10' Width on US6 in Eureka UT from MP 139 to MP 141. Monday thru Friday.
US191	12' Width	12' Width on US191 from Duchesne to MP-282 is restricted from 7 AM to 5 PM – Monday thru Friday.

WASHINGTON

IH5	20,000 lb per axle limit	MP 18.21, Direction: N, Limited to 20,000 lbs. per axle max. All loads over legal gross weight must travel center lane of bridge. Loads over 20,000 lbs. per axle must use alternate route. ALTERNATE ROUTE: From Clark (360-397-2446)/Cowlitz Co (360-577-3030), Permit available 8AM to 5PM, Mon-Fri, for gross weight up to 197,000lbs.
IH5	20,000 lb per axle limit	MP 19.83, Direction: S, Limited to 20,000 lbs. per axle max. All other loads, over legal gross weight, must travel center lane of bridge. Loads over 20,000 lbs. per axle must use alternate route. ALTERNATE ROUTE: From Clark (360-397-2446)/Cowlitz Co (360) 577-3030, Permits available 8AM to 5PM, Mon-Fri, for gross weight up to 197,000lbs.
IH5	10' Width	10' Width on IH5, MP77 to 88, Direction: Both: Loads exceeding 10 feet wide prohibited both directions on I-5 from SR-6 (Exit 77) to US-12 (Exit 88) 6-9am and 4-7pm Monday thru Friday.
IH5	20,000 lb per axle limit	MP 114.86, Direction: N, Limited to 20,000 lbs. per axle max. All loads over legal gross weight must travel center lane of bridge. Loads over 20,000 lbs. must use alternate routes.
IH5	20,000 lb per axle limit	MP156.48, Direction: 20,000 lb per axle limit. Restriction is on overcrossing running East & West, NOT ON I-5 MAINLINE.
IH5	20,000 lb per axle limit	MP164.80, Direction: N, 20,000 lb per axle BL weight limit. Ramps for I-90 Not affected, see Interchange Map.
IH5	20,000 lb per axle limit	MP164.80, Direction: S, 21,500 lb per axle BL weight limit. Ramps for I-90 Not affected, see Interchange Map.
IH5	20,000 lb per axle limit	MP209.35, Direction: N, 20,000 lb per axle weight limit
IH5	20,000 lb per axle limit	MP 228.25, Direction: Both, Limited to 20,000 lbs. per axle max. Loads over 20,000 lbs. must use alternate routes.
IH5	Center of Bridge	MP 263.05, Direction: N, "All loads shall travel the centerline of the Bridge"
IH90	travel in left 2 lanes	IH90, MP17.12, Direction: E, "All overloads shall travel in the left 2 lanes"
IH90	12' Width	12' Width on IH90, Snoqualmie Pass Vicinity, MP56 to 64, Direction: Both, Construction Season Notice: Through mid-November: Loads exceeding 12' wide will typically be prohibited from 8pm-9am Monday through Friday nights (occasionally Saturday and Sunday nights may be included).
IH90	10' Width E/WB, No Length EB	I-90 Snoqualmie Pass Vicinity: MP56 to 62, Direction: Both, Current Restriction – During the following times at NIGHT, loads over 10' wide are prohibited Eastbound and Westbound. Also, over length loads are prohibited eastbound. 1) Starting Friday October 23rd at 9:00pm and ending Saturday October 24th at 7:00am. 2) Starting at 8:00pm each night and ending at 9:00am the following morning; this restriction begins Monday October 26th and ends Friday October 30th. 3) Starting Friday October 30th at 9:00pm and ending Saturday October 31st at 7:00am.
IH90	Travel on centerline	I-90 at MP 137.19 will have the following restriction for the duration of a bridge painting project: Overloads shall travel the centerline of lanes in the direction of travel with no other trucks within 500 ft. Overloads shall not cross at the same time in opposing directions.
IH90	Travel on centerline	MP221.95, Direction: E, "All loads shall travel the centerline of the Bridge"
US12	20,000 lb per axle limit	MP372.57, Direction: Both, No axle to exceed 20,000 lbs.

US12	20,000 lb per axle limit	MP307.31, Direction: Both, 20,000 lbs per axle limit for BL and CL-8 (5-axles)
US12	19,500 lb per axle limit	MP 323.06, Direction: Both, No axle to exceed 19,500 lbs for the BL on bridge, Highway 12
US12	travel centerline of bridge	US 12, MP 360.28, Direction: Both, Overloads travel centerline of bridge. Traffic control is required.
US101	8'6" Width	US-101, MP 72.5 to 72.7 Rock Crusher Hill, Direction: Both, NO loads over 8'6" wide allowed. Possible detour route SR-105.
US101	20,000 lb per axle limit	US 101, MP 97.53, Direction: Both, 20,000 lbs per axle weight limit for BL.
US101	20,000 lb per axle limit	US 101, MP 338.77, Direction: Both, 0.5 mi N or Purdy cutoff. 20,000 lb per axle limit. OVERLOADS TRAVEL CENTERLINE OF BRIDGE, traffic control is required
US101	Travel on centerline	US 101, MP 203.15, Direction: Both, ALL OVERLOADS TRAVEL CENTERLINE OF BRIDGE-MAX SPEED 20 MPH. Traffic control is required (traffic control=flaggers to stop traffic on both sides of bridge to allow load to cross using center line of bridge.)
US101	10' Width	US-101, MP 316.5 near Mason-Jefferson Ln: Direction: Both, NO loads over 10' wide allowed.
US101	20,000 lb per axle limit	US 101, MP 32.52, Direction: Both, 20,000 lb axle limit
US395	10' Width	US 395, MP 13.05 to 20.57, Direction: Both, Thru traffic limited to 10' wide loads at all times. Detour by way of I-182 bridge. Requests for exemption contact Pasco DOT at 509-545-2202. *WSDOT Does Not Guarantee Height Clearances*
SR14	Front and rear pilot required	MP 18.89 to 34.66, Direction: Both, Loads over 10' wide must have 1 front & 1 rear pilot.
SR18	Closure	SR 18 WB at SR 167, at MP 3.4, closed to all traffic Monday night October 26th from 11pm to 5am and Tuesday night October 27th from 11pm to 5am. Westbound SR 18 exit ramp to NB SR 167 is open and not affected.
SR124	12' – 14' width require escorts	SR 124, MP 0.0 to 44.98, Direction: Both, All loads 12ft to 14 ft wide require 3 pilot cars. Loads traveling between MP 9.74 to 44.98 must contact the Walla Walla DOT @ 509-527-4548 for approval before permit can be issued.
SR290	17,000 lb per axle limit	SR 290, MP .82, Direction: Both, In City of Spokane, 17,000 lbs per axle weight limit
SR530	20,000 lbs. per axle limit	SR530, MP 28.78, Direction: Both, North Fork Stillaguamish River, 20,000 lb per axle weight limit
SR530	Legal axle weights	SR530, MP 56.22, Direction: Both, Sauk River Bridge, No over legal axle weights. Legal Gross Weight limited to 105,500 lbs.